

SLON 8480 PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of Sloan, et al. Serial No. 10/822,931 Filed April 13, 2004 Confirmation No. Not yet assigned APPARATUS FOR INSTALLING AND REMOVING TEAT CUP LINERS

Art Unit Not yet assigned

June 22, 2004

COMMISSIONER FOR PATENTS P.O. BOX 1450 ALEXANDRIA, VIRGINIA 22313-1450

SIR:

INFORMATION DISCLOSURE STATEMENT

In accordance with 37 C.F.R. 1.97 and 1.98 and MPEP 609, and in compliance with the duty of disclosure set forth in 37 C.F.R. 1.56, applicants submit the attached PTO/SB/08A for consideration by the Patent and Trademark Office in the aboveentitled application and to be made of record therein. In accordance with the OG notice of August 5, 2003 partially waiving the requirements of 37 C.F.R. 1.98(a)(2)(i), copies of the U.S. patent documents are not supplied. Applicants submit herewith copies of the literature references.

Respectfully submitted,

Kurt F. James, Reg. No. 33,716

SENNIGER, POWERS, LEAVITT & ROEDEL

One Metropolitan Square, 16th Floor

St. Louis, Missouri 63102

(314) 231-5400

KFJ/dss

Express Mail Label No. EV 432652446 US Mail Stop Amendment

PTO/SB/08A			Complete if Known		
INFORMATION	DISC	LOSURE	Application Number	10/822,931	
STATEMENT BY APPLICANT			Filing Date	April 13, 2004	
(use as many she	ets as	s necessary)	Confirmation Number	Not yet assigned	
1 46 N			First Named Inventor	Sloan, et al.	
JUN 2 1 2004 ET			Group Art Unit	Not yet assigned	
			Examiner Name	Not yet assigned	
Sheet 1	of	2	Attorney Docket No.	SLON 8480	

		U.S.	PATENT	DOCUMENTS		
Examiner Cite Initials* No.1		U.S. Patent Docume	nt			
		Number Kind Code² (if known) Name of Patentee or Applicant of Cited Document		Date of Publication of Cited Document MM-DD-YYYY		
	1	3,967,587		Noorlander	07/06/1976	
	2	3,973,521		Duncan	08/10/1976	
	3	4,269,143 Erbach 05/26/198		05/26/1981		
	4	4,459,939 Noorlander 07/17/198		07/17/1984		
	5	5,007,378		Larson	04/16/1991	
	6	6,058,879 Miefalk 05/09/2000		05/09/2000		
	7	6,308,656 B1 Milbrath et al. 10/302001		10/302001		
	8	6,427,624	B1	Briggs et al.	08/06/2002	
		OTHER ART - NON	PATEN	T LITERATURE DOCUMEN	TS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.				
	9	G.M. JONES. The Role of Milking Equipment in Mastitis, Virginia Cooperative Extension, Dairy, 8 pp., Publication 404-742, Reprinted 1999, Virginia				
	10	MICHEL A. WATTIAUX, Principles of Milking, Babcock Institute, pp. 81-84, Wisconsin. Admitted prior art.				
	11	Milking Management Services 2001, Tech Notes, 6 pp., printed from http://www.milkingmanagement.co.uk/machinetesting/tecnotes.htm 8/4/2002.				

Examiner	Date	
Signature	Considere	d

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached or place an "A" here if English language abstract is attached..

PTO/SB/08A		Complete if Known			
IN	IFORMATION	N DISC	LOSURE	Application Number	10/822,931
STATEMENT BY APPLICANT				Filing Date	April 13, 2004
(use as many sheets as necessary)			necessary)	Confirmation Number	Not yet assigned
				First Named Inventor	Sloan, et al.
				Group Art Unit	Not yet assigned
				Examiner Name	Not yet assigned
Sheet	2	of	2	Attorney Docket No.	SLON 8480

		 $\overline{}$
12	Proper Use and Care of Inflations, Producing Quality Milk, pp. 96-97. Admitted prior art.	

Examiner	Date
Signature	Considered

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

^{&#}x27;Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached or place an "A" here if English language abstract is attached..